

# MSDS SAS™ FLUALERT

## Material Safety Data Sheet

---

Cat. No.	Chemical/Common Name	Formula	Hazardous
046230	SAS™ FluAlert Test Kit	Mixture	Yes
046211	SAS™ FluAlert Test Kit	Mixture	Yes

SA Scientific, Inc.  
4919 Golden Quail  
San Antonio, TX. 78240

MSDS Coordinator  
Telephone Number: (888)-727-3315

Date Prepared: 12-07-05

Telephone Number: (888)-727-3315

Revised Date: NA

---

### SECTION II. HAZARDOUS INFORMATION:

Chemical Composition: Nitrocellulose membrane, fiberglass buffer, antibodies and colloidal gold solution.

Extraction buffer: Buffer contains 0.1% Sodium Azide.

### SECTION III. FIRE AND EXPLOSIVE DATA

Sodium Azide:

Flash Point (Test Method): NA

Flammable Limits: NA

Extinguishing Media: Sodium Azide

Unusual Fire and Explosive Hazards:

May react with lead and copper plumbing to form explosive metal azide. Drains should be flushed thoroughly with water after disposing of controls to prevent azide buildup.

### SECTION IV. HEALTH HAZARD DATA:

Medical Condition Aggravated by Exposure: Eyes/Skin Hypersensitivity

Primary Routes of Entry: Eye and Skin Contact, Ingestion, Inhalation

### FIRST AID:

Sodium Azide: Immediately flush eyes or skin with copious amounts of water for at least 15 minutes while removing contaminated clothing and shoes. Assure adequate flushing of the eyes by separating the eyelids with fingers.

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. If swallowed, wash out mouth with water provided person is conscious. Wash contaminated clothing before reuse. Discard contaminated shoes.

IN ALL CASES, CALL A PHYSICIAN OR POISON CONTROL CENTER IN YOUR AREA.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall SA Scientific, Inc. be liable for any claims, losses, or damages of any third party for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if SA Scientific, Inc. has been advised of the possibility of such damages.

MANUAL-SAFETY DATE REVIEWED _____ INITIALS _____	LOCATION/DEPARTMENT _____	ISSUE DATE: _____  SUPERCEDES MSDS FORM NO. _____ DATED _____
	FORM NO. _____	