

SECTION I: PRODUCT/COMPANY IDENTIFICATION

<u>Cat. No. (s)</u>	<u>Chemical/Common Name</u>	<u>Formula</u>
087413	SAS™ Urine Control Set	Mixture
087712	SAS™ Serum Control Set	Mixture
087715	SAS™ Ultimate Serum Control Set	Mixture

Description

SAS™ hCG Control Sets contains characterized positive and negative controls intended for use in qualitative procedures as external quality control material.

SA Scientific, Ltd. manufactures SAS™ hCG Control Sets.

SA Scientific, Ltd.
4919 Golden Quail
San Antonio, Texas 78240

SDS Coordinator
Telephone Number: (800) 272-2710
Emergency Phone: (800) 272-2710

SECTION II: HAZARDOUS IDENTIFICATION

Product Hazard Classification: Pursuant to OSHA's Hazardous Communications Standard 29 CFR 1910.1200, these products are not considered to contain hazardous materials.

Label elements, including hazard and precautionary statements

Pictogram: None.

Signal word: None.

Health: Minimal risk if used as directed.

Fire: Not considered a fire hazard.

Reactivity: Minimal risk. Reagents do not contain hazardous materials according to WHMIS, EU and OSHA criteria.

Physical Hazards: If not used as directed, it may be harmful if ingested and/or it may cause eye and skin irritation.

Special Hazards: Avoid ingesting reagents, as toxicity has not been determined.

Potential Health Effect Summary

WHMIS criteria: None considered hazardous materials.

EU criteria: None considered hazardous materials.

OSHA criteria: None considered hazardous materials.

Carcinogenicity Summary

ACGIH criteria: None of the ingredients are listed.

NTP criteria: None of the ingredients are listed.

OSHA criteria: None of the ingredients are listed.

SAFETY DATA SHEET

SAS™ hCG CONTROL SETS

SECTION III: PRODUCT COMPOSITION

25mIU/ml hCG Urine Positive Control contains synthetic urine and 0.2% Sodium Azide.

250mIU/ml hCG Urine Positive Control contains synthetic urine and 0.2% Sodium Azide.

hCG Negative Urine Control contains negative synthetic urine and 0.2% Sodium Azide.

10mIU/ml hCG Serum Positive Control contains normal human serum and 0.2% Sodium Azide

250mIU/ml hCG Serum Positive Control contains normal human serum and 0.2% Sodium Azide.

hCG Negative Serum Control contains negative human serum and 0.2% Sodium Azide.

Material manufactured from source plasma. Each donor unit of plasma used in the preparation of this material was tested and found negative for HBsAg, HIV1/2, HIV-lag and HCV by FDA approved methods.

Chemical Name	CAS No.	%
Sodium Azide	26628-22-8	0.2

Kit does not contain chemical mixtures at levels greater than 1.0% of a hazardous compound or 0.1% or more of a carcinogen as per ACGIH, NTP or OSHA criteria.

SECTION IV: FIRST AID MEASURES

After skin contact: Immediately, wash affected area thoroughly with soap and water. Remove contaminated clothing and shoes, if necessary. Seek medical attention, if irritation develops or persists.

After eye contact: Immediately, flush eyes under gently running water for at least 15 minutes, making sure that the eyelids are held open. Seek medical attention, if irritation or redness develops.

After ingestion: Rinse mouth with plenty of water to dilute the substance. Immediate medical attention is required.

After inhalation: Move person into fresh air. Seek medical attention.

SECTION V: FIRE FIGHTING MEASURES

Extinguishing Media: Not combustible. Use extinguishing media suitable for surrounding materials.

Special Fire and Explosion Hazards: May react with lead and copper plumbing to form explosive metal azides. Drains should be flushed thoroughly with water after disposing of buffer to prevent azide buildup.

Hazardous Combustion Products: None

Protective Equipment for Firefighters: Wear self-contained breathing apparatus and full protective gear.

SECTION VI: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid skin and eye contact by wearing appropriate lab personal protective equipment (PPE)

Environmental Precautions: Absorb into inert solid or dilute with a large quantity of water and flush into an approved wastewater treatment system. Use good laboratory practices.

SAFETY DATA SHEET
SAS™ hCG CONTROL SETS

SECTION VII: HANDLING AND STORAGE

Handling Precautions: Use good laboratory practices.

Recommended Storage Conditions: Store at 2°- 8° C to maintain efficacy.

Other Precautions/Special Hazards: Avoid eye and skin contact.

SECTION VIII: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls: Use in well-ventilated area.

Eye Protection: Safety glasses should be worn to prevent eye contact.

Skin Protection: Impervious gloves should be worn to prevent skin contact.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Form: Both Serum and Urine Controls are liquids.

Color: Both Serum and Urine Controls are clear to straw yellow in color.

Odor: Not identified.

Boiling Point/Boiling Range: N/A

Flash Point: N/A

Auto-ignition Temperature: N/A

Flash Point: N/A

Decomposition Temperature: N/A

Viscosity: N/A

SECTION X: STABILITY AND REACTIVITY

Stability: Stable under normal temperatures and pressures.

Hazardous Incompatibilities: N/A

Hazardous Decomposition: Not available.

SECTION XI: TOXICOLOGICAL INFORMATION

Toxicity Data for Hazardous Ingredients: N/A

Primary Routes of Exposure: Skin or eye contact.

Potential Effects of Acute Exposure: Low order of acute toxicity.

Other Effects: None Identified

SECTION XII: ECOLOGICAL INFORMATION

Ecotoxicity: No results of ecological studies are available.

Biodegradability: No results of biodegradability studies are available.

Mobility: No results of mobility studies are available.

SAFETY DATA SHEET
SAS™ hCG CONTROL SETS

SECTION XIII: DISPOSAL CONSIDERATIONS

Waste Disposal: Disposal practice must be in compliance with company, local, state and federal laws and regulations. If needed, Contact local, state or country environmental agency for specific rules.

Recommended Product Disposal: Sodium Azide may react with lead and copper plumbing to form explosive metal azides. Drains should be flushed thoroughly with water after disposing of buffer to prevent azide buildup.

SECTION XIV: TRANSPORT INFORMATION

Transportation is not regulated under ICAO, IATA, US DOT, Canadian TDG or European ADR/RVD.

SECTION XV: REGULATORY INFORMATION

Product is not classified as a dangerous preparation according to 1999/45/EC and 200/58/EC. Under US Federal and State Regulations.

SECTION XVI: OTHER INFORMATION

Employers should use this information as a supplement to other information gathered by them and should make independent judgment of the suitability of this information to ensure proper use and to protect the health and safety of employees. This information is provided without warranty and any use of this product not in conformance with this Safety Data Sheet, or in combination with any other product or process is the responsibility of the user. SA Scientific, Inc. shall not be held liable for any damage resulting from the handling or use of this product.